



## Evaluation Listing CCMC 12425-L PlastiSpan HD, PlastiSpan HD Type 2, PlastiSpan M24, DuroFoam HD, PlastiSpan 20

<b>MasterFormat:</b>	07 21 13.06
<b>Evaluation issued:</b>	1992-09-14
<b>Re-evaluated:</b>	2016-10-20
<b>Re-evaluation due:</b>	2019-09-14

### 1. Evaluation

The products conform to CAN/ULC-S701-11, Type 2. The evaluation of these products is based solely on their certification by Intertek Testing Services (ITS) North America Limited.

### 2. Description

The products are thermal insulation materials composed of expanded polystyrene beads which are moulded and cut to rigid board type sections and are available in various sizes. "DuroFoam HD" is faced with a polypropylene film on both sides.

### 3. Standard and Regulatory Information

See the Annex appended to this Listing, which summarizes the product standard.

This/These product(s) was/were evaluated to the product standard referenced in the Annex current as of 2016-10-20. Note that the Annex may have been updated since this Listing was issued to include more recent editions of the applicable product standard. Therefore, this Listing may not reflect the requirements contained in any updated version of this product standard.

### Listing Holder

Plasti-Fab Ltd.  
100 – 2886 Sunridge Way NE  
Calgary, AB T1Y 7H9

**Telephone:** 403-569-4312

### Plant(s)

Ajax, ON  
Crossfield, AB  
Delta, BC  
Kitchener, ON  
Saskatoon, SK  
Winnipeg, MB  
Lebanon, OH, USA

## Disclaimer

*This Listing is issued by the Canadian Construction Materials Centre, a program of NRC Construction at the National Research Council of Canada. The Listing must be read in the context of the entire CCMC Registry of Product Evaluations.*

*Readers must confirm that the Listing is current and has not been withdrawn or superseded by a later issue. Please refer to [http://www.nrc-cnrc.gc.ca/eng/solutions/advisory/ccmc\\_index.html](http://www.nrc-cnrc.gc.ca/eng/solutions/advisory/ccmc_index.html), or contact the Canadian Construction Materials Centre, NRC Construction, National Research Council of Canada, 1200 Montreal Road, Ottawa, Ontario, K1A 0R6. Telephone: 613-993-6189. Fax: 613-952-0268.*

*NRC has evaluated the material, product, system or service described herein only for those characteristics stated herein. The information and opinions in this Listing are directed to those who have the appropriate degree of experience to use and apply its contents. This Listing is provided without representation, warranty, or guarantee of any kind, expressed, or implied, and the National Research Council of Canada (NRC) provides no endorsement for any evaluated material, product, system or service described herein. NRC accepts no responsibility whatsoever arising in any way from any and all use and reliance on the information contained in this Listing. NRC is not undertaking to render professional or other services on behalf of any person or entity nor to perform any duty owed by any person or entity to another person or entity.*

**Date modified:**  
2016-11-17